


10056190





Maps And Drawings






























LEGEND —

BOTTOM SAMPLING LOCATION

(8-8.5) DEPTH OF SAMPLE RELATIVE TO NEAREST SIDEWALL (IN FEET)








## FINAL BOTTOM SAMPLING LOCATIONS (PRE-RI) - FORMER BURN PIT


FORMER FIRESTONE FACILITY RI/FS - ALBANY, GEORGIA


DRAWN BY: REM CHECKED BY: VMB PROJECT NUMBER: 90C6116 DATE: 30 JAN 92 FIGURE NO: 1-11














	1	2	3	4	5	6	LEGEND
							■ 1N-1W - SOIL GAS SURVEY NODES (1NORTH - 1WES
1	● <sup>1N-1W</sup> (2)	● <sup>1N-2W</sup> (BKG)	● 1N-3W (BKG)	● <sup>1N-4W</sup> (1)	● 1N-5W (BKG)	● 1N-6W (BKG)	(2) — HNU/OVA READINGS WHEN MEASURED ABOV BACKGROUND LEVEL. (PPM)
							(NA) - LOCATION WAS NOT ACCESSIBLE DUE TO TREES AND BUSHES
							(BKG) - HNU/OVA READINGS WHEN MEASURED AT BACKGROUND LEVEL.
2	_ 2N-1W	● <sup>2N-2W</sup> (BKG)	_ 2N-3W	2N-4W	● <sup>2N-5W</sup> (1)	_ 2N−6W	💢 - MONITORING WELL
	(BKG)	(BKG)	(BKG)	(2)	(1)	(BKG)	
3	_ 3N−1W	_ 3N−2W	_ 3N-3W	_ 3N−4W	_ 3N-5W	3N-6W	
	(NA)	(NA)	(BKG)	(BKG)	● 3N-5W (BKG)	(2)	`\
	₩ BMW-3						
	4N-1W	4N-2W	4N-3W	4N-4W	4N-5W	4N-6W	0 20 40
4	● (NA)	● (NA)	● (NA)	• (2)	● (NA)	<b>●</b> (20)	SCALE, FT
	₩ RW-6					Was durant Clude	
-	5N-1W	5N - 2W	5N - 3W	5N - 4W	5N-5W	5N-6W	Woodward−Clyde ❤️ Consultants
5	● <sup>5N-1W</sup> (BKG)	• (NA)	(NA)	(BKG)	• 5N−5W (NA)	(1)	Engineering & sciences applied to the earth & its environment
	(2//3)	(****)	()	(2)	(,	( )	CLIENT: BRIDGESTONE/FIRESTONE, INC.
							PROJECT: FORMER FIRESTONE FACILITY RI/FS - ALBANY, GEORGIA
	6N-1W	6N-2W	_ 6N-3W	. 6N-4W	. 6N-5W	_ 6N-6W	TITLE:
5	(BKG)	(BKG)	(2)	(3)	● <sup>6N-5W</sup> (1)	● <sup>6N-6W</sup> (BKG)	SOIL GAS SURVEY STUDY
							DRAWN BY: CHECKED BY: PROJECT NO: DATE: FIGURE LM TJT 90C6116 30 JAN 92 2-





## STEEL BUILDING





- LEGEND -----

CONFIRMATORY SOIL SAMPLE LOCATION

(0-0.5) PCB CONCENTRATIONS REPORTED IN MG/KG

ND NOT DETECTED

CONFIRMATORY PCB SAMPLING LOCATIONS AND ANALYTICAL RESULTS - TRANSFORMER AREA B-5 FORMER FIRESTONE FACILITY - ALBANY, GEORGIA


DRAWN BY: LM


CHECKED BY: FO

PROJECT NUMBER: 90C6116 DATE: 30 January 92


FIGURE NO: 2-9


Woodward−Clyde �� Consultants















SOURCE: HICKS, GILL AND LONGSWORTH 1987. HYDROGEOLOGY, CHEMICAL QUALITY, AND AVAILABILITY OF GROUNDWATER IN THE UPPER FLORIDAN AQUIFER, ALBANY AREA, GEORGIA. USGS.


NOTE: SHADED AREAS REPRESENTS SINKHOLES

BRIDGESTONE/FIRESTONE, INC. PROJECT: FORMER FIRESTONE FACILITY RI/FS - ALBANY, GEORGIA TITLE

UPPER FLORIDAN AQUIFER SINKHOLES

CHECKED BY: PROJECT NO: DATE: 90C6116 30 JAN 92





1-3 4-6 7-10 11-16 - >21

## WIND SPEED CLASSES (KNOTS)

(1 KNOT = approx 1.1 mph)


NOTES:


DIAGRAM SHOWS THE FREQUENCY OF OCCURRENCE FOR EACH WIND DIRECTION. WIND DIRECTION IS THE DIRECTION FROM WHICH THE WIND IS BLOWING. EXAMPLE — WIND IS BLOWING FROM THE NORTH 5.0 PERCENT OF THE TIME.


## WINDROSE


ALBANY, GA AREA PERIOD: 1959-1966


> Woodward-Clyde Consultants 90C6116

















SCHEMATIC DIAGRAM - SITE SPECIFIC HYDROSTRATIGRAPHIC UNITS

FORMER FIRESTONE FACILITY RI/FS - ALBANY, GEORGIA

DRAWN BY: B.Mc

CHECKED BY: MJM

PROJECT NUMBER: 90C6116


DATE:


30 JAN 92


FIGURE NO: 3-11


Woodward-Clyde Consultants


16-31













QIN1=  $(A)(K)(i) = (4500)(120)(794)(0.001) = 0.43 \times 10^6 \text{ ft}^3/\text{DAY}$ FLOW INTO LOWER OCALA FORMATION OF THE SITE FROM LEAKAGE: QIN2= (A)(K)(i) =  $(320 \text{ ACQES})(43560 \text{ ft}^2/\text{ACQE})(0.22)(0.06) = 1.8 \times 10^5 \text{ ft}^3/\text{DAY}$ \* An estimated value of vertical hydraulic conductivity of 0.22 ft/day was assumed for these calculations


ENCINEERS, GEOLOGISTS, AND ENVIRONMENTAL SCIENTISTS


RECHARGE-DISCHARGE RELATIONSHIPS AT FIRESTONE SITE


PROJECT NO. CHK'D: J.P.H. DESIGN: DATE: 1-27-92 90C6116-343 3-16









































FIGURE 6-1 FREQUENCY HISTOGRAM FOR PCB CONCENTRATIONS IN SOIL IN THE MANUFACTURING AREA (MG/KG)




FIGURE 6-2 FREQUENCY HISTOGRAM FOR NATURAL LOG (Ln) OF PCB CONCENTRATIONS IN SOIL IN THE MANUFACTURING AREA (MG/KG)